

AP20 Rec'd PCT/PTO 29 JUN 2006

Improvements in or relating to Electronic Devices and Associated Covers

5 Field of the Invention

The present invention relates to a cover or housing for an electronic device, and an appropriately modified electronic device to receive the cover or housing. For consistency, the term cover will be used throughout
10 the specification.

Specific embodiments of the present invention relate to mobile communications devices, such as mobile phones, and associated covers. The term mobile phone is used to cover Personal Digital Assistants
15 (PDAs) and electronic devices with mobile phone functionality. Therefore, the mobile phone functionality in a "mobile phone" according to the present invention may be a major/primary or minor/secondary function of the mobile phone. The mobile phone may have additional functionality including, but not limited to, the ability to take still/video images.

20

The invention is also applicable to other forms of portable electronic devices including portable digital music players, such as MP3 players, personal digital organisers, calculators, and currency converters. Such devices may or may not have mobile phone functionality.

25

The invention is particularly useful for electronic devices (whether or not portable), which would benefit from having a replaceable cover which could be used to provide a changeable user interface.

30 For simplicity, the foregoing text will focus on mobile phones.

CONFIRMATION COPY

Background to the Invention

Known mobile telephones include front (A) and back (B) covers which are made from injection moulded plastic. The A and B covers may be decorated in the mould or painted after removal from the mould.

Some mobile phone covers are user-replaceable and allow a user to personalise their phone by attaching an individualised cover.

Specific embodiments of the present invention provide a mobile phone in which the conventional A and B covers are supplemented or replaced by a single printed decorated foil that is folded and slid into a specially designed chassis.

Summary of the Invention

According to a first aspect, there is provided an electronic device cover formed from a sheet of material dimensioned to at least partially cover an electronic device, wherein the sheet is configured to have a substantially flat configuration and a folded configuration and be bendable into the folded configuration to cover the electronic device.

According to a second aspect, there is provided a method of distributing a printed publication with a cover, the cover formed from a sheet of material dimensioned to at least partially cover an electronic device, wherein the sheet is configured to have a substantially flat configuration and a folded configuration and be bendable into the folded configuration to cover the electronic device.

According to a third aspect, there is provided an electronic device arranged to receive an electronic device cover formed from a sheet of material dimensioned to at least partially cover the electronic device, wherein the sheet is configured to have a substantially flat configuration

3

and a folded configuration and be bendable . into the folded configuration to cover the electronic device.

According to a fourth aspect, the present invention provides a user
5 replaceable cover for a mobile communications device, comprising a substantially flat plastics sheet member bendable to extend from one side of a mobile communications device to a substantially opposite side.

The sheet member may be adapted to fold over a predetermined folding
10 line to conform to the shape of the mobile communications device.

The sheet member may have been printed to comprise a character for an input means.

15 The sheet member may have been printed to provide a decorative effect.

The sheet member may have been made of a substantially transparent material and printed from a reverse side.

20 The sheet member may comprise an embossed portion providing a key cap for the mobile telephone. The embossed portion may have been labelled by a character printed directly onto the sheet member.

The sheet member may have been configured to cover the mobile
25 communications device in a U shape so that the sheet member covers substantially two opposite sides of the mobile communications device.

The cover may have a reeled configuration for facilitating transport, storage and / or packaging of the cover.

30

The sheet member may comprise adhesive material on a reverse side configured to attach to the mobile communication device.

4

According to a fifth aspect, the present invention provides a mobile communications device comprising means for reversible attaching a user replaceable cover according to any of the preceding claims onto two substantially opposite sides of the mobile communications device.

5

According to a sixth aspect, the present invention provides a method of providing a user replaceable cover comprising bending a substantially flat plastics sheet member such that it is capable to extend from one side of a mobile communications device to a substantially opposite side.

10

According to a seventh aspect, the present invention provides a mobile communications device comprising a body having major front and back surfaces separated by at least one edge surface, and a unitary cover member extending over the front, edge and back surfaces of the body.

15

The body may include a plurality of edge surfaces and the unitary cover member extends over only one of the edge surfaces.

The unitary cover member may be formed by folding a planar member.

20

The unitary cover member may be removable.

The unitary cover member may be removed by sliding the cover along grooves on the front and/or back surfaces of the body.

25

The front surface of the body may include a keypad and/or a display.

The present invention provides preferred embodiments for each of the aspects of the invention corresponding to appropriately modified preferred
30 embodiments of one or more of the other aspects of the invention.

Brief Description of Figures

5

Specific embodiments of the present invention will be described, by way of example only, with reference to the following figure in which :

Figure 1 provides a perspective view of aspects of embodiments according
5 to the present invention;

Figure 1a illustrates a folded cover and mobile phone according to the present invention; and

10 Figure 1b illustrates a pre-folded flat mobile phone cover according to the present invention.

Detailed Description of Specific Embodiments

15 An embodiment of the invention is shown in Figures 1a and 1b. Figure 1a shows the body 1 of a mobile telephone and a cover member 200 about to be slid over the body 1. Figure 1b shows the cover 200 (or foil) in a flat unfolded state.

20 As shown in Figure 1a, preferably the body 1 includes a plurality of edge surfaces 10, 11, 12, 13 and the unitary cover member 200 extends over only one of the edge surfaces 13.

The unitary cover member 200 of Figure 1a is formed by folding the planar
25 member of Figure 1b in half. As shown in Figure 1b, the planar member 200 may be decorated before being folded. The planar member is folded back on itself and defines a U shape. The cover 200 is folded such that it would unfold into the flat configuration if it were not held.

30 The planar member 200 may be screen printed and embossed, and may be trimmed using simple and inexpensive 2-dimensional cutting tools. Alternatively, the unitary cover member 200 may be formed by moulding, such as injection moulding, and may be rigid or semi-rigid.

The unitary cover member 200 is removable from the mobile phone 1. In the embodiment shown, the unitary cover member 200 is removed by sliding the cover 200 along grooves 20, 21, 22 on the front 14 and/or back 15 surfaces of the body (see Fig. 1a). Only the front surface 14 is visible in Figure 1a, and therefore equivalent grooves 20, 21, 22 on non-visible rear surface 15 are also not visible. The cover 200 remains in the grooves 20, 21, 22 at least by virtue of friction between the edges of the cover and the grooves within which the edges are inserted. This can at least be attributable to the fact that the cover is folded so that it wants to return to the flat unfolded configuration.

The edge 13 of the phone 10 is curved to correspond with the curvature of the cover 200 against which it will abut.

The cover 200 could also have cut outs (not shown) so that it can push over corresponding male features in the grooves 20, 21, 22.

One or more crease/fold lines (not shown) may be provided to allow the cover 200 to be easily bent into shape along pre-determined lines. For example, two parallel fold lines could be provided to allow the cover to be folded back onto itself.

As shown in Figure 1a, the front surface 14 of the body 1 includes a keypad 30 and/or a display 31. The unitary cover member 200 may include a transparent portion 231. This is positioned on the planar member 200 for alignment with the display 31 in the folded cover configuration. The unitary cover member 200 also includes flexible key actuation portions 230 positioned to be aligned with keys of the keypad 30 in the folded cover configuration.

The cover 200 is made from a flexible translucent/transparent film material, such as polycarbonate. Advantageously, the reverse of the material is

printed so that the printed reverse is hidden away from abrasion during use.

An advantage of the invention is that the unitary bendable cover member
5 200 can be used to replace the two A and B covers of prior art mobile communications devices. The unitary cover is cheap to make with minimal tooling. The cover 200 can be readily distributed in the flat configuration, for example, along with printed publications, such as magazines.

10 The cover 200 may replace covers A and/or B or be used to overlie on the A and/or B covers. In the case that it is used to overlie on the A and/or B, the A and or B covers would preferably have grooves to allow the cover 200 to be held in place.

15 The cover 200 may also have an adhesive to attach to the mobile phone. This may be a user-releasable adhesive such as that used on Post-It™ notes.

The cover 200 may have one or more apertures (not shown) thorough
20 which features of the mobile phone may extend. For example, a joystick/ball or other input key.

Various different covers can be manufactured relatively cheaply and give the mobile phone user interface a different personalised look. It is also
25 possible to adapt the printing on the cover to suit a particular software application which is run on the mobile phone. Thus, when a user uses the phone for game A, he can have a specific cover which indicates the functions performed by specific keys. In the case of when the phone is used to make a voice call, the user can use a different cover specifically
30 adapted for that usage. The covers may also have raised domes to activate only certain keys. The raised domes are arranged to activate keys disposed underneath. These keys are those which are used for a particular application run on the phone. The other keys which are not used for

8

running the application may not have raised domes. Therefore, activation is avoided.

It will be appreciated that various modifications can be made to the invention without departing from the scope of the present invention. For
5 example, the cover could be folded over edge 12 rather than 13. Additionally, two such bendable sheets could be used; one for the front as shown in figure 1a and the other down side 12 as suggested above. The cover may have one or more apertures. These may assist with holding the
10 cover on the mobile phone.